




SOCKETS and ATTACHMENTS



6-Point
Socket



M Series

8-Point
Socket



MS Series

12-Point
Socket



T Series

$\frac{1}{4}$ SQUARE DRIVE

HOT BROACHED SOCKETS

Stock Number	Length	Size	Description	Std. Pkg.	Pkg. Wt.
6-POINT SOCKETS					
6M*	1"	$\frac{3}{16}$ "	6-Point Socket	6	.21 lb.
7M*	1"	$\frac{7}{32}$ "	6-Point Socket	6	.21 lb.
8M*	1"	$\frac{1}{4}$ "	6-Point Socket	6	.21 lb.
9M*	1"	$\frac{9}{32}$ "	6-Point Socket	6	.21 lb.
10M*	1"	$\frac{5}{16}$ "	6-Point Socket	6	.21 lb.
11M*	1"	$\frac{11}{32}$ "	6-Point Socket	6	.21 lb.
12M*	1"	$\frac{3}{8}$ "	6-Point Socket	6	.25 lb.
14M*	1"	$\frac{7}{16}$ "	6-Point Socket	6	.34 lb.
16M*	1"	$\frac{1}{2}$ "	6-Point Socket	6	.37 lb.
8-POINT SOCKETS					
8MS	1"	$\frac{1}{4}$ "	8-Point Socket	6	.25 lb.
10MS	1"	$\frac{5}{16}$ "	8-Point Socket	6	.34 lb.
12MS	1"	$\frac{3}{8}$ "	8-Point Socket	6	.37 lb.

*Also available in 12 point with Stock Number 6T, 7T, 8T, 9T, 10T, 11T, 12T, 14T and 16T respectively.

GUARANTEE

All Thorsen Tools are unconditionally guaranteed against defective material and workmanship. Any defective tool will be promptly replaced or repaired when returned to your Thorsen Dealer or direct to the factory



ATTACHMENTS

Stock Number	Description	Length	Std. Pkg.	Pkg. Wt.
18M	Flex Handle	5 $\frac{1}{2}$ "	6	1.00 lb.
33M	Universal Joint	1 $\frac{1}{4}$ "	6	.28 lb.
42M	Sliding-T	4 $\frac{1}{4}$ "	6	.37 lb.
50M	2" Extension	2"	6	.34 lb.
53M	6" Extension	6"	6	.87 lb.
62M	14" Speeder	14"	6	2.50 lb.
77M	Ratchet, reversible	5 $\frac{1}{8}$ "	6	1.25 lb.
80M	Spinner Handle	6"	6	1.00 lb.




SOCKETS and ATTACHMENTS


3/8" DRIVE



**300 Series
12 Point**



**300X Series
6 Point**



**600J Series
12 Point**



**600JX Series
6 Point**

12-PT. SOCKETS—REG. LENGTH

Stock No.	Size	Length	Pkg.	Weight
312	3/8"	1 1/16"	6	.25 lb.
314	7/16"	31/32"	6	.25 lb.
316	1/2"	1"	6	.37 lb.
318	9/16"	1 1/32"	6	.50 lb.
319	19/32"	1 1/32"	6	.50 lb.
320	5/8"	1 1/8"	6	.62 lb.
321	21/32"	1 3/32"	6	.62 lb.
322	11/16"	1 3/32"	6	.71 lb.
324	3/4"	1 5/32"	6	.81 lb.

6-PT. SOCKETS—REG. LENGTH

Stock No.	Size	Length	Pkg.	Weight
312X	3/8"	1 1/16"	6	.25 lb.
314X	7/16"	31/32"	6	.25 lb.
315X	15/32"	31/32"	6	.37 lb.
316X	1/2"	1"	6	.37 lb.
317X	17/32"	1"	6	.37 lb.
318X	9/16"	1 1/32"	6	.50 lb.
320X	5/8"	1 1/8"	6	.62 lb.
322X	11/16"	1 3/32"	6	.71 lb.
324X	3/4"	1 5/32"	6	.81 lb.

UNIVERSAL SOCKETS—12-PT.

Stock No.	Size	Length	Pkg.	Weight
412J	3/8"	1 1/8"	6	.62 lb.
414J	7/16"	1 5/8"	6	.62 lb.
416J	1/2"	1 5/8"	6	.62 lb.
418J	9/16"	1 3/4"	6	.75 lb.
420J	5/8"	1 3/4"	6	.87 lb.
422J	11/16"	1 7/8"	6	.90 lb.
424J	3/4"	1 7/8"	6	1.00 lb.

UNIVERSAL SOCKETS—6-POINT

Stock No.	Size	Length	Pkg.	Weight
412JX	3/8"	1 1/8"	6	.62 lb.
414JX	7/16"	1 5/8"	6	.62 lb.
416JX	1/2"	1 5/8"	6	.62 lb.
418JX	9/16"	1 3/4"	6	.75 lb.
420JX	5/8"	1 3/4"	6	.87 lb.
422JX	11/16"	1 7/8"	6	.90 lb.
424JX	3/4"	1 7/8"	6	1.00 lb.

DEEP SOCKETS—12-POINT

Stock No.	Size	Length	Pkg.	Weight
612J	3/8"	2 1/8"	6	.68 lb.
614J	7/16"	2 1/8"	6	.75 lb.
616J	1/2"	2 3/8"	6	.62 lb.
618J	9/16"	2 1/4"	6	1.06 lb.
620J	5/8"	2 3/8"	6	1.15 lb.
622J	11/16"	2 3/8"	6	1.37 lb.
624J	3/4"	2 3/8"	6	1.50 lb.
626J	13/16"	2 3/8"	6	1.60 lb.

DEEP SOCKETS—6-POINT


Stock No.	Size	Length	Pkg.	Weight
612JX	3/8"	2 1/8"	6	.68 lb.
614JX	7/16"	2 1/8"	6	.75 lb.
616JX	1/2"	2 3/8"	6	.62 lb.
618JX	9/16"	2 1/4"	6	1.06 lb.
620JX	5/8"	2 3/8"	6	1.15 lb.
622JX	11/16"	2 3/8"	6	1.37 lb.
624JX	3/4"	2 3/8"	6	1.50 lb.
626JX	13/16"	2 3/8"	6	1.60 lb.

3/8" ATTACHMENTS

Stock No.	Description	Length	Pkg.	Weight
12J	Flex Handle	7 1/2"	6	2.21 lb.
13J	Flex Speeder (1 hand)	10"	6	5.12 lb.
33J	Universal Joint	1 3/4"	6	.71 lb.
42J	Slide Tee	6 1/2"	6	1.62 lb.
50J	1 1/2" Extension	1 1/2"	6	.62 lb.
51J	2 5/8" Extension	2 5/8"	6	1.06 lb.
53J	5" Extension	5"	6	1.30 lb.
57J	10" Extension	10"	6	2.31 lb.
59J	18" Extension	18"	6	4.00 lb.
61J	13" Speeder	13"	6	4.87 lb.
62J	16 1/2" Speeder	16 1/2"	6	5.62 lb.
77J	Ratchet, reversible	7 1/2"	6	3.50 lb.
98	Adaptor, 3/8" F, 1/2" M	1 1/2"	6	.50 lb.
375	Screwdriver Bit 2 1/2"	2 1/2"	6	.65 lb.
376	Draglink, 1 1/16" Blade	3 1/2"	6	.43 lb.



SOCKETS and ATTACHMENTS 1/2" DRIVE




500 Series
12-Point



500S Series
8-Point



500X Series
6-Point



600 Series
12 Point

12-PT. SOCKETS—REG. LENGTH

Stock No.	Size	Length	Pkg.	Weight
512	3/8"	1 3/8"	6	.68 lb.
514	7/16"	1 3/8"	6	.68 lb.
516	1/2"	1 3/8"	6	.81 lb.
518	9/16"	1 3/8"	6	.84 lb.
519	19/32"	1 3/8"	6	.75 lb.
520	5/8"	1 3/8"	6	.68 lb.
521	21/32"	1 3/8"	6	.87 lb.
522	11/16"	1 3/8"	6	.81 lb.
524	3/4"	1 3/8"	6	1.00 lb.
525	25/32"	1 13/32"	6	1.06 lb.
526	13/16"	1 13/32"	6	1.28 lb.
528	7/8"	1 7/16"	6	1.62 lb.
529	29/32"	1 1/2"	6	1.75 lb.
530	15/16"	1 1/2"	6	1.81 lb.
531	31/32"	1 1/2"	6	2.12 lb.
532	1"	1 1/16"	6	2.12 lb.
534	1 1/16"	1 11/16"	6	2.75 lb.
536	1 1/8"	1 3/4"	6	2.75 lb.
538	1 3/16"	1 25/32"	6	3.18 lb.
540	1 1/4"	1 13/16"	6	4.12 lb.

8-PT. SOCKETS—REG. LENGTH

Stock No.	Size	Length	Pkg.	Weight
512S	3/8"	1 3/8"	6	.87 lb.
514S	7/16"	1 3/8"	6	.87 lb.
516S	1/2"	1 3/8"	6	.87 lb.
518S	9/16"	1 3/8"	6	1.12 lb.
520S	5/8"	1 3/8"	6	1.56 lb.
522S	11/16"	1 3/8"	6	1.50 lb.
524S	3/4"	1 3/8"	6	2.00 lb.
526S	13/16"	1 3/8"	6	2.37 lb.
528S	7/8"	1 1/2"	6	3.12 lb.
530S	15/16"	1 1/2"	6	4.68 lb.
532S	1"	1 3/8"	6	4.68 lb.

12-POINT SOCKETS—DEEP

Stock No.	Size	Length	Pkg.	Weight
614	7/16"	3 1/8"	6	1.62 lb.
616	1/2"	3 1/8"	6	1.59 lb.
618	9/16"	3 1/8"	6	1.46 lb.
619	19/32"	3 1/8"	6	1.46 lb.
620	5/8"	3 1/8"	6	1.56 lb.
622	11/16"	3 1/8"	6	1.81 lb.
624	3/4"	3 1/8"	6	2.18 lb.
626	13/16"	3 1/8"	6	2.31 lb.
628	7/8"	3 1/8"	6	2.43 lb.
629	29/32"	3 1/8"	3	1.37 lb.
630	15/16"	3 1/8"	3	1.50 lb.
632	1"	3 1/8"	3	2.00 lb.
634	1 1/16"	3 1/8"	3	2.25 lb.
636	1 1/8"	3 1/8"	3	2.37 lb.
638	1 3/16"	3 1/8"	3	2.71 lb.
640	1 1/4"	3 1/8"	3	3.00 lb.

All 12-point regular sockets available in single hexagon 6-point sockets; and the 6-point is designated by adding "x" after catalog number; i. e. "512X". All prices, weights, etc. of 6-point are the same as 12-point. All 1/2" Square Drive sets can be supplied with 6-point sockets in the place of 12-point sockets; and, to order 6-point designate by adding "x" to set number; i. e. "Set Number 1223X" means with 6-point in place of 12-point sockets.

1/2" ATTACHMENTS

Stock No.	Description	Length	Pkg.	Weight
13	*15" Flex Speeder (1 hand)	15"	6	7.87 lb.
15	**15" Flex Handle—Straight Shank	15"	6	8.25 lb.
16	18" Flex Handle	18"	6	12.37 lb.
33	Universal Joint	23 7/8"	6	1.43 lb.
42	Slide Tee	10"	6	5.81 lb.
51	2 1/2" Extension	2 1/2"	6	1.43 lb.
53	5" Extension	5"	6	2.93 lb.
57	10" Extension	10"	6	4.68 lb.
59	18" Extension	18"	6	6.18 lb.
61	13" Speeder	13"	3	4.12 lb.
62	18" Speeder	18"	2	3.40 lb.
77	10" Ratchet, reversible	10"	3	3.18 lb.
77NR	14" Ratchet, reversible	14"	3	4.88 lb.
94	1/2" F, 3/8" M Adaptor	1 3/8"	6	.87 lb.
95A	1/2" F, 3/4" M Adaptor	1 1/16"	6	1.50 lb.
574	Draglink Socket	1 1/16"	6	1.09 lb.

*See Illustration of 13J.

**Not Illustrated.



1200 Series



12-POINT SOCKETS

Stock No.	Size	Length	Pkg.	Weight	Stock No.	Size	Length	Pkg.	Weight
1228	7/8"	2"	1	.37 lb.	1250	1 1/16"	2 5/16"	1	1.55 lb.
1230	1 1/16"	2"	1	.43 lb.	1252	1 5/8"	2 1/2"	1	1.75 lb.
1232	1"	2 1/16"	1	.50 lb.	1254	1 11/16"	2 11/16"	1	1.81 lb.
1234	1 1/16"	2 1/8"	1	.53 lb.	1256	1 3/4"	2 3/4"	1	1.87 lb.
1236	1 1/8"	2 1/4"	1	.53 lb.	1258	1 13/16"	2 13/16"	1	2.12 lb.
1238	1 3/16"	2 1/4"	1	.68 lb.	1260	1 7/8"	2 7/8"	1	2.25 lb.
1240	1 1/4"	2 5/16"	1	.87 lb.	1264	2"	3"	1	2.62 lb.
1242	1 5/16"	2 3/8"	1	1.00 lb.	1268	2 1/8"	3"	1	2.87 lb.
1244	1 3/8"	2 7/16"	1	1.00 lb.	1270	2 3/16"	3 3/16"	1	2.87 lb.
1246	1 7/16"	2 1/2"	1	1.25 lb.	1272	2 1/4"	3 1/16"	1	3.00 lb.
1248	1 1/2"	2 9/16"	1	1.37 lb.					

3/4" ATTACHMENTS

Stock No.	Description	Length	Pkg.	Weight
15X	3 3/4" Extension	3 3/4"	1	.75 lb.
16X	8" Extension	8"	1	1.25 lb.
18	Flex Handle	19"	1	4.25 lb.
19	Slide Tee	17 1/2"	1	3.00 lb.
20X	16" Extension	16"	1	2.25 lb.
33HD	Universal Joint	3 1/2"	1	1.00 lb.
79	Ratchet, Reversible	17 1/2"	1	4.25 lb.
98D	3/4" F, 1/2" M Adaptor	1 13/16"	6	2.06 lb.

THORSEN SPECIALTY TOOLS


FLUSH PLUG WRENCHES




Stock No.	Description	Length	Pkg.	Weight
808	1/4" Sq. Male Socket	1 3/8"	6	.81 lb.
810	3/16" Sq. Male Socket	1 3/8"	6	.87 lb.
812	3/8" Sq. Male Socket	1 3/8"	6	.90 lb.
814	7/16" Sq. Male Socket	1 3/8"	6	.93 lb.
820	5/8" Sq. Male Socket	1 3/8"	6	1.00 lb.

F18NR
V-8 Ford Con
Rod Socket
1/2" Drive,
5/16" 6-Pt.
Length: 1 3/8"
Std. Pkg. 6
Weight: .84 lb.

509S
Buick Dynaflo
Socket
1/2" Drive,
3/32" 4-Pt.
Length: 1 3/8"
Std. Pkg.: 6
Weight: .81 lb.



10101 Ford Drain Plug Wrench 2" 6-Point
Length: 10" Std. Pkg.: 1 Weight: 1.25 lb.



10123 Valve Guide Punch, Ford V-8
Length: 9" Std. Pkg.: 6 Weight: 2.50 lb.



301 Bendix Brake Spoon
Length: 7" Std. Pkg.: 6 Weight: 1.50 lb.

